



TIGER MEDICAL
SUPPLIES



**NEURO AND SPINE SURGERY
CATALOGUE**



TIGER MEDICAL
SUPPLIES

RONGEURS



Newly developed Geister-Kerrison Rongeurs designed for easy detaching at the push of the gold button and perfect function in all operative situations.

- the gold button indicates the detachability
- jaws are available in 1-5mm widths
- ejector for easy bone removal
- strongly constructed jaws with guides on the outer side and lasting sharpness
- shafts available in various lengths, straight, bayonet up, left or right designs
- working ends 40° and 90° upwards or 40° downwards biting
- easy and safe detaching at the push of the gold button
- efficient cleaning and sterilization of the total instrument
- all parts stay together and thus cannot get lost
- extra thin footplate for cervical use available on request (add „X“ behind REF)





Geisler-Kerrison Laminectomy Rongeurs, detachable with bone-ejector up-biting

Jaw	Length of shaft					
	18 cm	20 cm	23 cm	25 cm	28 cm	30 cm
1 mm 90°	40-1418A1	40-1420A1	40-1423A1	40-1425A1	40-1428A1	40-1430A1
2 mm 90°	40-1418A2	40-1420A2	40-1423A2	40-1425A2	40-1428A2	40-1430A2
3 mm 90°	40-1418A3	40-1420A3	40-1423A3	40-1425A3	40-1428A3	40-1430A3
4 mm 90°	40-1418A4	40-1420A4	40-1423A4	40-1425A4	40-1428A4	40-1430A4
5 mm 90°	40-1418A5	40-1420A5	40-1423A5	40-1425A5	40-1428A5	40-1430A5
1 mm 40°	40-1418C1	40-1420C1	40-1423C1	40-1425C1	40-1428C1	40-1430C1
2 mm 40°	40-1418C2	40-1420C2	40-1423C2	40-1425C2	40-1428C2	40-1430C2
3 mm 40°	40-1418C3	40-1420C3	40-1423C3	40-1425C3	40-1428C3	40-1430C3
4 mm 40°	40-1418C4	40-1420C4	40-1423C4	40-1425C4	40-1428C4	40-1430C4
5 mm 40°	40-1418C5	40-1420C5	40-1423C5	40-1425C5	40-1428C5	40-1430C5



TIGER MEDICAL
SUPPLIES



Geister-Kerrison Laminectomy Rongeurs, detachable with bone-ejector up-biting, bayonet-shaped up

Jaw	Length of shaft		
	11 cm	15 cm	18 cm
1 mm 40°	40-2750.10Z	40-2752.10Z	40-2754.10Z
2 mm 40°	40-2750.20Z	40-2752.20Z	40-2754.20Z
3 mm 40°	40-2750.30Z	40-2752.30Z	40-2754.30Z
4 mm 40°	40-2750.40Z	40-2752.40Z	40-2754.40Z
5 mm 40°	40-2750.50Z	40-2752.50Z	40-2754.50Z
1 mm 90°	40-2770.10Z	40-2772.10Z	40-2774.10Z
2 mm 90°	40-2770.20Z	40-2772.20Z	40-2774.20Z
3 mm 90°	40-2770.30Z	40-2772.30Z	40-2774.30Z
4 mm 90°	40-2770.40Z	40-2772.40Z	40-2774.40Z
5 mm 90°	40-2770.50Z	40-2772.50Z	40-2774.50Z

K add „K“ behind catalog reference if desired with black ceramic coating



Geister-Kerrison Laminectomy Rongeurs, detachable with bone-ejector up-biting, bayonet-shaped left and right

Length of shaft

jaw	left			right		
	11 cm	15 cm	18 cm	11 cm	15 cm	18 cm
1 mm 40°	40-2710.10Z	40-2712.10Z	40-2714.10Z	40-2720.10Z	40-2722.10Z	40-2724.10Z
2 mm 40°	40-2710.20Z	40-2712.20Z	40-2714.20Z	40-2720.20Z	40-2722.20Z	40-2724.20Z
3 mm 40°	40-2710.30Z	40-2712.30Z	40-2714.30Z	40-2720.30Z	40-2722.30Z	40-2724.30Z
4 mm 40°	40-2710.40Z	40-2712.40Z	40-2714.40Z	40-2720.40Z	40-2722.40Z	40-2724.40Z
5 mm 40°	40-2710.50Z	40-2712.50Z	40-2714.50Z	40-2720.50Z	40-2722.50Z	40-2724.50Z
1 mm 90°	40-2730.10Z	40-2732.10Z	40-2734.10Z	40-2740.10Z	40-2742.10Z	40-2744.10Z
2 mm 90°	40-2730.20Z	40-2732.20Z	40-2734.20Z	40-2740.20Z	40-2742.20Z	40-2744.20Z
3 mm 90°	40-2730.30Z	40-2732.30Z	40-2734.30Z	40-2740.30Z	40-2742.30Z	40-2744.30Z
4 mm 90°	40-2730.40Z	40-2732.40Z	40-2734.40Z	40-2740.40Z	40-2742.40Z	40-2744.40Z
5 mm 90°	40-2730.50Z	40-2732.50Z	40-2734.50Z	40-2740.50Z	40-2742.50Z	40-2744.50Z



TIGER MEDICAL
SUPPLIES

RONGEURS



Newly developed Gelster Spinal IVD Rongeurs designed for easy detaching at the push of the gold button.

- the gold button indicates the detachability
- jaws are available in 2, 3 and 4 mm widths
- extremely firm construction of jaw
- shafts available in various lengths, straight, bayonet up, left or right designs
- working ends straight, 45° upwards or 45° downwards biting
- easy and safe detaching at the push of the gold button
- efficient cleaning and sterilization of the total instrument
- all parts stay together and thus cannot get lost





TIGER MEDICAL
SUPPLIES



Geister-Kerrison Laminectomy Rongeurs, detachable with bone-ejector up-biting

Jaw	Length of shaft					
	18 cm	20 cm	23 cm	25 cm	28 cm	30 cm
1 mm 90°	40-1418A1	40-1420A1	40-1423A1	40-1425A1	40-1428A1	40-1430A1
2 mm 90°	40-1418A2	40-1420A2	40-1423A2	40-1425A2	40-1428A2	40-1430A2
3 mm 90°	40-1418A3	40-1420A3	40-1423A3	40-1425A3	40-1428A3	40-1430A3
4 mm 90°	40-1418A4	40-1420A4	40-1423A4	40-1425A4	40-1428A4	40-1430A4
5 mm 90°	40-1418A5	40-1420A5	40-1423A5	40-1425A5	40-1428A5	40-1430A5
1 mm 40°	40-1418C1	40-1420C1	40-1423C1	40-1425C1	40-1428C1	40-1430C1
2 mm 40°	40-1418C2	40-1420C2	40-1423C2	40-1425C2	40-1428C2	40-1430C2
3 mm 40°	40-1418C3	40-1420C3	40-1423C3	40-1425C3	40-1428C3	40-1430C3
4 mm 40°	40-1418C4	40-1420C4	40-1423C4	40-1425C4	40-1428C4	40-1430C4
5 mm 40°	40-1418C5	40-1420C5	40-1423C5	40-1425C5	40-1428C5	40-1430C5

K add „K“ behind catalog reference if desired with black ceramic coating


Stille



Stille-
Ruskin



Echlin




Stille		A	B
23 cm	6 mm	40-0130	40-0135
Stille-Ruskin		C	D
24 cm	6 mm	40-0119	40-0120
24 cm	9 mm	40-0121	40-0122
Echlin		E	
23 cm	2 mm	40-0140	
23 cm	3 mm	40-0141	
23 cm	4 mm	40-0142	


Smith-Peterson



Leksell



A B C



D, slight bent/strong bent

Smith-Peterson

		A	B	C
19 cm	3 mm	40-0180	40-0181	40-0182
23 cm	3 mm	40-0185	40-0186	40-0187
23 cm	4 mm	40-0185.40	40-0186.40	40-0187.40

Leksell

D		slight bent	strong bent
23 cm	3 mm	40-0124	
23 cm	5 mm	40-0126	40-0128
23 cm	6 mm	40-0125	40-0127



Wire Cutting Pliers

Wire Pliers

Wire Holding Forceps

Wire-Twister

Izzat Wire-Grip







Small Lateral Serrated Blades

● PEEK, 12 mm width

Fig.	Art.-No.	length mm
A	29-3029.40	40
A	29-3029.45	45
A	29-3029.50	50
A	29-3029.55	55



Medial Toothed Blades

● PEEK, 23 mm width

Fig.	Art.-No.	length mm
B	29-3032.40	40
B	29-3032.45	45
B	29-3032.50	50
B	29-3032.55	55
B	29-3032.60	60
B	29-3032.65	65
B	29-3032.75	75



Lateral Serrated Blades

● PEEK, 23 mm width

Fig.	Art.-No.	length mm
C	29-3030.40	40
C	29-3030.45	45
C	29-3030.50	50
C	29-3030.55	55
C	29-3030.60	60
C	29-3030.65	65
C	29-3030.75	75



Blunt Blades

● PEEK, 23 mm width

Fig.	Art.-No.	length mm
D	29-3033.40	40
D	29-3033.45	45
D	29-3033.50	50
D	29-3033.55	55
D	29-3033.60	60
D	29-3033.65	65
D	29-3033.75	75



● PEEK – rotating, 23 mm width

Fig.	Art.-No.	length mm
E	29-3031.40	40
E	29-3031.45	45
E	29-3031.50	50
E	29-3031.55	55
E	29-3031.60	60
E	29-3031.65	65
E	29-3031.75	75



● PEEK – rotating, 23 mm width

Fig.	Art.-No.	length mm
F	29-3034.40	40
F	29-3034.45	45
F	29-3034.50	50
F	29-3034.55	55
F	29-3034.60	60
F	29-3034.65	65
F	29-3034.75	75



Blade Positioner

● PEEK – Handle

Fig.	Art.-No.	length mm
G	29-3615.PK	200



Caspar-type

29-3141 Distractor only for use in surgical procedures from the right approach for C5 through T1 (T2) and from the left approach for the upper cervical spine

29-3141L Distractor as above but with elongated toothed bar for multilevel (more than 2) distraction



29-3142
Drill Guide

29-3135
Screw Driver



Distraction Pin	A/B
29-3134.12	66/12 mm
29-3134.14	68/14 mm
29-3134.16	70/16 mm
29-3134.18	72/18 mm



29-3133
Twist Drill

- Innovative design
- Maximum comfort and superb grip
- Approx. 40gm lighter than conventional curettes
- Bayonet shaped design with straight, angled forward or backwards tips
- Withstands even most demanding sterilization environments



2 mm
40-4000
40-4000.TI



3 mm
40-4001
40-4001.TI



4 mm
40-4002
40-4002.TI



2 mm
40-4020
40-4020.TI



3 mm
40-4021
40-4021.TI



4 mm
40-4022
40-4022.TI



2 mm
40-4010
40-4010.TI



3 mm
40-4011
40-4011.TI



4 mm
40-4012
40-4012.TI



40-4030 Sterilization Tray (stainless steel) for up to 9 TriCuret™ curettes (stainless steel/titanium), with handle, stackable, 405 mm x 253 mm x 70mm (without content)



Adson
Raspatory
blunt
40-8391
17 cm 7 mm



Cobb
Elevator
41-9001 28 cm 8 mm
41-9003 28 cm 10 mm
41-9005 28 cm 13 mm
41-9006 28 cm 19 mm
41-9007 28 cm 25 mm
41-9008 28 cm 32 mm



black PPMG handle
Raspatory
40-8620
27.5 cm 20 mm



black PPMG handle
Raspatory
40-8621
33 cm 8 mm



black PPMG handle
Raspatory
40-8622
33 cm 17 mm



TIGER MEDICAL
SUPPLIES

CHISELS



Smith-Peterson

straight

40-8080	20 cm	6 mm
40-8081	20 cm	9 mm
40-8082	20 cm	13 mm
40-8083	20 cm	16 mm
40-8084	20 cm	19 mm
40-8085	20 cm	25 mm
40-8086	20 cm	32 mm



Smith-Peterson

curved

40-8090	20 cm	6 mm
40-8091	20 cm	9 mm
40-8092	20 cm	13 mm
40-8093	20 cm	16 mm
40-8094	20 cm	19 mm
40-8095	20 cm	25 mm
40-8096	20 cm	32 mm



Lexer

black PPSU handle

40-8459	22 cm	5 mm
40-8460	22 cm	7 mm
40-8461	22 cm	10 mm
40-8462	22 cm	15 mm
40-8463	22 cm	20 mm
40-8464	22 cm	25 mm
40-8465	22 cm	30 mm



Mini-Lexer


black PPSU handle

40-8495	18 cm	4 mm
40-8496	18 cm	6 mm
40-8497	18 cm	8 mm
40-8498	18 cm	10 mm
40-8499	18 cm	12 mm



TIGER MEDICAL
SUPPLIES

MICRO TISSUE FORCEPS



for sutures 8-0
and smaller



for sutures 6-0
and smaller



for sutures 5-0
and smaller



Fig.	Length mm/''	jaw	Art.-No.	Fig.	Length mm/''	jaw	Art.-No.	Fig.	Length mm/''	jaw	Art.-No.
A	180/7	0.4 x 12	03-0650.04TI	A	210/8 1/4	0.4 x 12	03-0655.04TI	A	230/9	0.4 x 12	03-0660.04TI
B	180/7	0.4 x 12	03-0651.04TI	B	210/8 1/4	0.4 x 12	03-0656.04TI	B	230/9	0.4 x 12	03-0661.04TI
C	180/7	0.8 x 12	03-0650.08TI	C	210/8 1/4	0.8 x 12	03-0655.08TI	C	230/9	0.8 x 12	03-0660.08TI
D	180/7	0.8 x 12	03-0651.08TI	D	210/8 1/4	0.8 x 12	03-0656.08TI	D	230/9	0.8 x 12	03-0661.08TI
E	180/7	1.2 x 12	03-0650.TI	E	210/8 1/4	1.2 x 12	03-0655.TI	E	230/9	1.2 x 12	03-0660.TI
F	180/7	1.2 x 12	03-0651.TI	F	210/8 1/4	1.2 x 12	03-0656.TI	F	230/9	1.2 x 12	03-0661.TI